

# SSD2943 V2

29.3" Resizing LCD, 500 nits LED backlight, 1920x710 ultra wide aspect ratio 16:6

SSD2943 V2 is an innovative ultra-wide, sunlight readable, LED backlight LCD display. It provides LCD panel with specific ratios for digital signage, public transportation, exhibition hall, department store, vending machine and industrial applications. Incorporating with A.D. control board and backlight design, it is high brightness and sunlight readable panel, can display high-quality video with energy-efficient.



## KEY FEATURES

- Resizing LCD
- Ultra Wide Screen (16 : 6)
- LED Backlight
- High Brightness 500 nits
- Low Power Consumption
- Wide Dimming
- Life Expectancy (70,000hrs)

## SPECIFICATIONS

Model No.	SSD2943 V2
Description	29.3" Resizing LCD Display, 500 nits LED backlight
Display Area (mm)	698.4*258.2 mm
Brightness	500 cd/m <sup>2</sup>
Resolution	1920 x 710
Aspect Ratio	16 : 6
Contrast Ratio	6000:1
Pixel Pitch (mm)	0.3637 x 0.3637
Pixel Per Inch (PPI)	69.7
Viewing Angle	178°(H), 178°(V)
Display Colors	16.7M
Response Time (Typical)	8 ms
Sync	LVDS
Power Consumption	31W
Dimensions (mm)	740.6 x 306.7 x 63.7
Weight (Net)	8.6 Kg
LED Driving Board	LID28A
Control Board (Optional)	AD2662GD / AD2662GDVAR
<input type="checkbox"/> AD2662GD	VGA+DVI
<input type="checkbox"/> AD2662GDVAR	VGA + DVI (Optional AV/ S-Video / Component / Audio)
<input type="checkbox"/> Other	
F/R Control Button	<input type="checkbox"/> 4 Key / 5 Key
<input type="checkbox"/> 4 Key	Power Switch, Menu, Select (+,-),
<input type="checkbox"/> 5 Key	Power Switch, Menu, Select (+,-), Auto
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock...
Optional	<input type="checkbox"/> Touch Screen

\*Specifications are subject to change without notice. \*\*All brands or product names are trademarks or registered trademarks of their respective companies.

SSD= Panel+ LED Driving Board + Control Board + Housing

