

SSF/SSH 1722

17.2" Resizing LCD, 400 nits LED backlight, 1366x510 ultra wide aspect ratio 16:6

SSF/SSH1722 is an innovative ultra-wide, sunlight readable, LED backlight LCD display. It provides LCD panel with specific ratios for digital signage, public transportation, exhibition hall, department store, vending machine and industrial applications. Incorporating with A.D. control board and backlight design, it is high brightness and sunlight readable panel, can display high-quality video with energy-efficient.



KEY FEATURES

- Resizing LCD
- Ultra Wide Screen (16 : 6)
- Sunlight Readable
- LED Backlight
- High Brightness 400 nits
- Low Power Consumption
- High Uniformity
- Wide Dimming
- Life Expectancy (70,000hrs)
- Slim Bezel

SPECIFICATIONS

Model No.	SSF/SSH1722
Description	17.2" Resizing LCD, 400 nits LED backlight, 1366x510
Display Area (mm)	409.8 x 153.0 mm
Brightness	400 cd/m2
Resolution	1366 x 510
Aspect Ratio	16 : 6
Contrast Ratio	1500:1
Pixel Pitch (mm)	0.3 x 0.3
Viewing Angle	170°(H), 160°(V)
Display Colors	16.7M
Response Time (Typical)	5 ms
Sync	LVDS
Power Consumption	15W
Dimensions (mm)	430.4 x 178.4 x 12.0 mm
Weight (Net)	0.9 Kg
LED Driving Board	LID17
Control Board (Optional)	<input type="checkbox"/> AD2662GDHM
<input type="checkbox"/> AD6038GD	VGA + DVI + HDMI
<input type="checkbox"/> Others	
F/R Control Button	<input type="checkbox"/> 4 key <input type="checkbox"/> 5 key
<input type="checkbox"/> 4 Key	Power Switch, Menu, Select (+,-)
<input type="checkbox"/> 5 Key	Power Switch, Menu, Select (+,-), Auto
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock . . .
Optional	<input type="checkbox"/> Touch Screen

*Specifications are subject to change without notice. **All brands or product names are trademarks or registered trademarks of their respective companies.

SSF= Panel+ LED Driving Board • SSH= Panel+ LED Driving Board + AD Control Board

