


SSF0635-E / SSH0635-E

6.2" Resizing LCD, 1000 nits LED backlight, 1024x250 ultra wide aspect ratio 16:4

SSF/SSH 0635-E is an innovative ultra-wide, sunlight readable, LED backlight LCD display. It provides LCD panel with specific ratios for digital signage, public transportation, exhibition hall, department store, vending machine, POS and industrial applications. It is high-quality full color video with energy-efficient.



KEY FEATURES

- Resizing LCD
- Ultra Wide Screen (16 : 4)
- LED Backlight
- Brightness 1000 nits
- Low Power Consumption
- High Uniformity
- Slim Bezel

SPECIFICATIONS

Model No.	SSF0635/SSH0635
Description	6.2" Resizing LCD, 1000 nits LED backlight, 1024x250
Display Area (mm)	153.6x37.5 mm
Brightness	1000 cd/m ²
Resolution	1024x250
Aspect Ratio	16:4
Contrast Ratio	700:1
Pixel Pitch (mm)	0.15x0.15
Viewing Angle	150°(H), 145°(V)
Display Colors	262K/16.7M
Response Time (Typical)	25 ms
Panel Interface	LVDS
Power Consumption	3.91W/8.91W
Dimensions (mm)	165.75x55x5.3
Weight (Net)	0.09Kg
LED Driving Board	On board
Control Board (Optional)	<input type="checkbox"/> AD6038GDHM
<input type="checkbox"/> AD2662GDHM	VGA+DVI+HDMI
F/R Control Button	<input type="checkbox"/> 4 key
<input type="checkbox"/> 4 Key	Power Switch, Menu, Select (+,-)
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock . . .
Optional	<input type="checkbox"/> AOT <input type="checkbox"/> Touch Screen

*Specifications are subject to change without notice. **All brands or product names are trademarks or registered trademarks of their respective companies.

SSF= Panel+ LED Driving Board • SSH= Panel+ LED Driving Board + AD Control Board

